




Scan to explore  
EX245 online

# Extrusion EX245

Recessed Extrusion with Wide Profile

Product Code	Trim Colour	Accessories
EX245	W (White) B (Black)	OP (Opal Lens)

Order Code **EX245-B-OP**



### Product Features

- Recessed aluminium extrusion profile with wide trim profile and flat opal diffuser
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Supplied with mounting clips for easy installation

### Product Attributes



To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX245](http://trendlighting.com.au/product/extrusion-EX245)

### Physical Characteristics


Trim Colour	White   Black
Dimensions (WxH)	90 x 60 mm
Maximum Length	3000 mm*

\* Custom lengths available

### General Characteristics

Category	Strips & Extrusions
Family	Extrusions
Surface	Ceiling   Wall
Mounting	Recessed
Ingress Protection	IP20

### Dimensions (mm)





Scan to explore  
EX245 online

# Extrusion EX245


Recessed Extrusion with Wide Profile

Product Code	Trim Colour	Accessories
EX245	W (White) B (Black)	OP (Opal Lens)


Order Code **EX245-B-OP**

To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX245](http://trendlighting.com.au/product/extrusion-EX245)

## Trim Colour




W  
White Trim



B  
Black Trim

## Accessories



OP  
Opal Lens



Scan to explore  
EX245 online

# Extrusion EX245

Recessed Extrusion with Wide Profile

Product Code	Trim Colour	Accessories
<b>EX245</b>	W (White) B (Black)	OP (Opal Lens)

Order Code **EX245-B-OP**

To configure this extrusion, please visit  
[trendlighting.com.au/product/extrusion-EX245](http://trendlighting.com.au/product/extrusion-EX245)


## Applicable LED Strips for Extrusion EX245



### Flexiled XF1260

16W/m 12V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (3 LEDs)  
LED Pitch 60 LEDs per meter



### Flexiled XF12120

15W/m 12V DC Flexible Strip


Dimensions 1000 x 11.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 25 mm (3 LEDs)  
LED Pitch 120 LEDs per meter



### Flexiled XF24120

15W/m 24V DC Flexible Strip


Dimensions 1000 x 11.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (6 LEDs)  
LED Pitch 120 LEDs per meter



### Flexiled XF24120B

8W/m 24V DC Flexible Strip


Dimensions 1000 x 10.5 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm (6 LEDs)  
LED Pitch 120 LEDs per meter



### Flexiled XF2499

20W/m 24V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 6000 mm  
Cutting Increment 60 mm (6 LEDs)  
LED Pitch 99 LEDs per meter



### Flexiled XF24480

9W/m 24V DC Flexible Strip


Dimensions 1000 x 8 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 50 mm  
LED Pitch 480 LEDs per meter



### Flexiled XF24144

25W/m 24V DC Flexible Strip

Dimensions 1000 x 30 x 2 mm  
Max. Continuous Length 12,000 mm  
Cutting Increment 66.5 mm (8 LEDs)  
LED Pitch 120 LEDs per meter



### Flexiled XF24RGBW

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm  
Max. Continuous Length 5000 mm  
Cutting Increment 62.5 mm (6 LEDs)  
LED Pitch 96 LEDs per meter