

Scan to explore
EX6 online

Extrusion EX6

Surface Mounted Extrusion

Product Code	Trim Colour	Accessories
EX6	B (Black) S (Silver)	OP (Opal Lens)

Order Code **EX6-B-OP**



Product Features

- Surface mounted aluminium extrusion profile with flat opal diffuser
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Supplied with surface mounting clips for easy installation

Product Attributes




To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX6

Physical Characteristics

Trim Colour	Black Silver
Dimensions (WxH)	18 x 13 mm
Maximum Length	3000 mm*


* Custom lengths available

Dimensions (mm)



General Characteristics

Category	Strips & Extrusions
Family	Extrusions
Surface	Ceiling Floor Wall
Mounting	Surface Mounted
Ingress Protection	IP20



Scan to explore
EX6 online

Extrusion EX6

Surface Mounted Extrusion

Product Code	Trim Colour	Accessories
EX6	B (Black) S (Silver)	OP (Opal Lens)

Order Code **EX6-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX6

Trim Colour




B
Black Trim




S
Silver Trim

Accessories



OP
Opal Lens



Scan to explore
EX6 online

Extrusion EX6

Surface Mounted Extrusion

Product Code	Trim Colour	Accessories
EX6	B (Black) S (Silver)	OP (Opal Lens)

Order Code **EX6-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX6


Applicable LED Strips for Extrusion EX6



Flexiled XF1260

16W/m 12V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (3 LEDs)
LED Pitch 60 LEDs per meter



Flexiled XF12120

15W/m 12V DC Flexible Strip


Dimensions 1000 x 11.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 25 mm (3 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF24120

15W/m 24V DC Flexible Strip


Dimensions 1000 x 11.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (6 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF24120B

8W/m 24V DC Flexible Strip

Dimensions 1000 x 10.5 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm (6 LEDs)
LED Pitch 120 LEDs per meter



Flexiled XF2499

20W/m 24V DC Flexible Strip


Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 6000 mm
Cutting Increment 60 mm (6 LEDs)
LED Pitch 99 LEDs per meter



Flexiled XF24480

9W/m 24V DC Flexible Strip

Dimensions 1000 x 8 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 50 mm
LED Pitch 480 LEDs per meter



Flexiled XF24RGBW

20W/m 24V DC Flexible Strip

Dimensions 1000 x 12 x 2 mm
Max. Continuous Length 5000 mm
Cutting Increment 62.5 mm (6 LEDs)
LED Pitch 96 LEDs per meter